


CONTROL APPROVAL SYMBOL
SPMCS-85

WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY
IN THE CONTINENTAL UNITED STATES
WEEK ENDING 10 NOVEMBER 1944



SPECIAL SECTIONS
ON
HEALTH OF THE WAC
AND
HEALTH OF THE
PRISONERS OF WAR

THIS DOCUMENT CONTAINS
INFORMATION AFFECTING THE
NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE
MEANING OF THE ESPIONAGE
ACT, 50 U.S.C., 31 AND 32 AS
AMENDED. ITS TRANSMISSION
OR THE REVELATION OF ITS
CONTENTS IN ANY MANNER
TO AN UNAUTHORIZED PERSON
IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDING 10 NOVEMBER 1944

	PAGE
NATURE OF THE DATA	2
COMMENT ON CURRENT TRENDS	4
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	8
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER	10
STATIONS WITH HIGHEST MORBIDITY RATES	25
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	26

REVIEW OF HEALTH CONDITIONS FOR WAC IN OCTOBER

COMMENT ON CURRENT TRENDS	27
MORBIDITY AND HOSPITALIZATION DATA FOR INDIVIDUAL STATIONS	30

REVIEW OF HEALTH CONDITIONS FOR PRISONERS OF WAR IN OCTOBER

COMMENT ON CURRENT TRENDS	33
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH STRENGTH OF 500 OR MORE	37

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, Form 86ab, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases hospitalized or confined to quarters and excused from duty for 24 hours or longer, except for certain cases carded for record only (chiefly venereal disease cases treated on a duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all traumatisms other than battle casualties (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, and reactions to medications as well as various types of wounds not due to enemy action). Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease." The presence of Ports of Embarkation and of large numbers of casuals admitted should be borne in mind in making comparisons between Service Commands and individual stations.

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The average proportion of the daily strength of the command which is confined to hospital or quarters (mean number of non-effectives per thousand strength) is given in the summary table for the total United States and for

each of the Service Commands. This ratio may not be significant when the strength of a Command is changing markedly or when a Command has a relatively large number of General Hospitals.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

MORTALITY DATA

Recent studies indicate that the reporting of deaths on Forms 86ab is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 15 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table.

EXPLANATORY MATTER

In reading the detail tables, it should be borne in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (#) is placed after the name of the station.

MORBIDITY FROM


ALL CAUSES

DISEASE ONLY

COLDS, INFLUENZA, ETC.

RESTRICTED

CONTINENTAL UNITED STATES



RESTRICTED

MORBIDITY FROM

ALL CAUSES


DISEASE ONLY

COLDS, INFLUENZA, ETC.

RESTRICTED

VARIATIONS BY SERVICE COMMAND

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

CURRENT MORBIDITY IN THE CONTINENTAL UNITED STATES

All Causes: Disease and Injury:

During the week ending 10 November 1944 the admission rate from all causes increased fractionally (by about 2 percent) to 557 per year per thousand strength. The current week's morbidity continues at about 20 per cent below that for the corresponding week of 1943. Morbidity from disease increased slightly during the current week to 494 per thousand strength.

The admission rate from injury decreased fractionally to 63 per thousand which is the lowest rate reported so far this year except for the week ending 1 September. It is believed that the current relatively low level of injuries reflects compliance with the recently issued directive regarding reportable injuries; this clarification provided that readmitted cases and injuries existing prior to entry into active service should be reported as "disease" rather than as "injury." Because of this, it may be anticipated that the injury admission rate for some weeks to come may show more of a downward tendency than would otherwise have prevailed.

Respiratory Causes:

Morbidity from colds, influenza, etc. decreased slightly to 91 per thousand. During the past five weeks morbidity from these causes has varied within the relatively narrow limits of 91 to 95 per thousand. The admission rate from these causes for the current week was 12 percent lower than for the corresponding week of 1943.

The admission rate from pneumonia decreased slightly to 9 per thousand. Morbidity from this cause was at about the same level as for the corresponding week of 1943.

Common Communicable Diseases:

Morbidity from venereal diseases, excluding cases

contracted prior to entry into active service remained at 38 per thousand. The admission rate from these causes is more than 50 percent higher than for the corresponding week of 1943.

Morbidity from diarrhea and dysentery increased slightly to 8 per thousand from the relatively low rate of 7 per thousand recorded the previous week. The number of new cases of mumps increased sharply (from 58 in the previous week to 111 in the current week). The number of new cases of meningitis was reported at 22 as compared with 11 for the previous week, which was by far the lowest number of any week this year. The number of new cases of rheumatic fever continued at about the same level as has prevailed during the past three months. The number of new cases of infectious hepatitis increased from 65 to 90 for the current week, which is the highest weekly total recorded this year.

VARIATIONS IN MORBIDITY BY SERVICE COMMAND


All Causes: Disease and Injury:

The admission rate from disease increased in most Service Commands with only the Sixth and Eighth Service Commands showing decreases. The greatest increases occurred in the First, Second, Fifth, and Ninth Service Commands.

The Second Service Command reported the highest morbidity from all causes (716 per thousand) and from disease (661 per thousand), followed by the Third Service Command which was the only other one to report morbidity from all causes in excess of 600 per thousand. The lowest morbidity from all causes (505 per thousand) was reported by the Sixth Service Command, closely followed by the Eighth Service Command (508 per thousand), while the lowest admission rate from disease (433 per thousand) was again registered in the Eighth Service Command, which has continued to report very low morbidity in recent months.


NON-EFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING UNDER TREATMENT

CONTINENTAL UNITED STATES



COMMENT ON CURRENT TRENDS (CONT'D)

Most Service Commands reported little or no change in morbidity from injuries. However, significant decreases did occur in the Fourth and Ninth Service Commands, while a notable increase was reported by the Eighth Service Command. As a result, only the Eighth Service Command (with a rate of 75 per thousand) reported an admission rate from injury in excess of 70 per thousand. Moreover, only one other Service Command, the Fourth, reported morbidity from injury in excess of 60 per thousand.

Respiratory Causes:

The admission rate from colds, influenza, etc. showed considerable fluctuation by Service Command. Increases of 10 percent or more were recorded in the First, Fifth, and Ninth Service Commands and the Military District of Washington, while decreases of similar magnitude were reported by the Sixth and Eighth Service Commands. The Military District of Washington reported the highest morbidity from colds, influenza, etc. (143 per thousand) followed by the Second Service Command (124 per thousand). The lowest morbidity from these causes was reported by the Eighth, Fourth and Seventh Service Commands respectively, with rates of 80 per thousand or less.

Morbidity from pneumonia increased notably in the First and Sixth Service Commands, while there was a decided decrease in the Eighth Service Command. The Sixth Service Command, with a rate of 23 per thousand or more than double that for the country as a whole reported the highest morbidity from this cause.

Common Communicable Diseases:

Morbidity from "new" venereal (excluding EPTS) cases, although remaining the same for the country as a whole, showed considerable fluctuation by Service Command. Increases of 10 percent or more were registered in the First, Third, Seventh, and Eighth

Service Commands, while corresponding decreases were reported by the Sixth and Ninth Service Commands. The Third Service Command reported by far the highest morbidity from these causes (70 per thousand), followed by the First, Second, and Fifth Service Commands with rates of about 50 per thousand. The high experience of the First and Second Service Command, is due in part to the presence of task force troops not under their jurisdictions. Most Service Commands reported relatively low morbidity from diarrhea and dysentery. Only the First, Second, and Fifth Service Commands reported admission rates from these causes in excess of 10 per thousand.

NON-EFFECTIVE RATE:

The non-effective rate increased for the seventeenth consecutive week to 49.9 per thousand; this is the highest rate recorded during this war. More than 25 percent of the current non-effective rate arises from days of treatment for cases evacuated from overseas theaters. The non-effective rate for personnel stationed in this country is estimated to be lower than in 1943.

PATIENTS REMAINING UNDER TREATMENT, 10 November 1944:

The number of neuropsychiatric cases remaining was reported at 19,718 or about 300 less than for the previous week. The number of non-battle injury patients remaining totaled about 30,800. The number of battle casualty patients remaining increased by about 300 to number 26,290.

CERTIFICATES OF DISABILITY FOR DISCHARGE:

During the week ending 10 November there were 4,985 enlisted men discharged by CDD or about 100 more than the previous week. About 50 percent of these discharges were reported by General Hospitals. Included among the 4,985 CDD's were 1,901 neuropsychiatric cases.

WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

CONFIDENTIAL

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH										
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)				
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																		
	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week
TOTAL UNITED STATES	3425486	3451636	557	548	494	484	63	64	91	93	9	10	8	7	38	38	49.9	49.5
FIRST SERVICE COMMAND	94204	96388	583	529	537	482	46	47	115	98	12	6	12	9	50	40	64.4	64.6
SECOND SERVICE COMMAND	198963	202417	716	659	661	600	55	59	124	116	11	8	17	5	48	52	61.6	59.8
THIRD SERVICE COMMAND	193452	193458	669	665	623	618	46	47	106	112	12	10	6	4	70	62	61.1	61.9
MIL. DIST. OF WASHINGTON	57623	57636	578	572	527	527	51	45	143	119	21	8	31	51	19	22	71.3	71.3
FOURTH SERVICE COMMAND	892072	900359	553	558	486	481	67	77	79	84	9	10	7	7	36	39	44.7	44.5
FIFTH SERVICE COMMAND	139004	145580	543	503	490	450	53	53	109	85	7	7	12	7	50	51	115.0	109.1
SIXTH SERVICE COMMAND	128706	131396	505	542	449	496	56	46	89	100	23	12	5	5	33	40	67.4	66.8
SEVENTH SERVICE COMMAND	340578	339463	533	530	477	473	56	57	80	76	8	7	6	5	33	28	42.9	42.5
EIGHTH SERVICE COMMAND	843531	852212	508	507	433	442	75	65	75	93	10	14	8	9	37	31	38.3	38.3
NINTH SERVICE COMMAND	587353	532727	564	540	504	475	60	65	112	97	6	6	6	5	31	36	47.0	46.6
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																		
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year
TOTAL UNITED STATES	4131222	5170745	638	805	569	722	69	83	162	217	12	16	9	12	32	29	39.3	35.8
FIRST SERVICE COMMAND	109146	166477	623	663	564	596	59	67	162	208	11	16	8	8	34	19	40.1	31.0
SECOND SERVICE COMMAND	216480	275227	735	857	675	786	60	71	199	257	11	15	9	9	43	33	49.0	36.7
THIRD SERVICE COMMAND	265366	322160	695	764	632	694	63	70	183	192	14	17	7	6	35	32	42.2	35.7
MIL. DIST. OF WASHINGTON	61463	60722	677	611	633	570	44	41	163	184	17	28	4	8	15	21	69.4	59.5
FOURTH SERVICE COMMAND	1110236	1367246	627	783	554	695	73	88	129	205	11	16	12	20	32	32	34.5	33.3
FIFTH SERVICE COMMAND	192132	222294	659	852	591	782	68	70	159	241	12	19	12	17	46	30	58.8	42.4
SIXTH SERVICE COMMAND	167136	213344	693	914	636	842	57	72	199	323	20	22	4	5	37	26	43.8	34.8
SEVENTH SERVICE COMMAND	390662	461569	693	967	629	887	64	80	208	328	19	28	9	7	30	24	39.9	41.9
EIGHTH SERVICE COMMAND	945211	1065730	585	804	512	717	73	87	126	183	10	13	9	12	31	33	33.8	34.6
NINTH SERVICE COMMAND	673390	995976	626	761	555	672	71	89	149	191	9	11	7	8	27	22	40.1	35.5

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 194 4

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	ADMISSIONS NUMBER OF CASES						NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD						
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY							
CURRENT WEEK																	
TOTAL UNITED STATES	3425486	19	111	25	22	58	397	153	44	109	4985						
FIRST SERVICE COMMAND	94204	1	35	1		1	12	6	1	5	319						
SECOND SERVICE COMMAND	198963		2			1	32	5	2	3	303						
THIRD SERVICE COMMAND	193452	2	3	1	1	1	24	4	1	3	407						
MIL. DIST. OF WASHINGTON	57623					1	2	6	4	2	122						
FOURTH SERVICE COMMAND	892072	9	37	3	7	5	128	18	7	11	1169						
FIFTH SERVICE COMMAND	139004		3	5		2	13				406						
SIXTH SERVICE COMMAND	128706		2	4	2	1	42	4	1	3	183						
SEVENTH SERVICE COMMAND	340578		15	2		26	15	20	6	14	450						
EIGHTH SERVICE COMMAND	843531	3	10	3	12	5	98	63	12	51	961						
NINTH SERVICE COMMAND	537353	4	4	6		15	31	27	10	17	665						
PREVIOUS WEEK																	
TOTAL UNITED STATES	3451636	5	58	48	11	57	452	158	31	123	4906						
FIRST SERVICE COMMAND	96388		5	1			4	2	2		245						
SECOND SERVICE COMMAND	202417		3		1	2	18	4	1	3	328						
THIRD SERVICE COMMAND	193458	1	2	1	2	2	24	6	3	1	400						
MIL. DIST. OF WASHINGTON	57636					1	7	5	5		110						
FOURTH SERVICE COMMAND	900359		19	2	2	11	127	51	4	47	1086						
FIFTH SERVICE COMMAND	145580		3	4		2	15	1		1	438						
SIXTH SERVICE COMMAND	131396	1	1	1	1	3	35	7	2	5	188						
SEVENTH SERVICE COMMAND	339463	1	6	4		6	22	19	8	10	458						
EIGHTH SERVICE COMMAND	852212	1	14	30	5	9	155	39	6	32	961						
NINTH SERVICE COMMAND	532727	1	5	5		21	44	24		24	692						

FORM SG-396C REVISED 1 JUNE 1944

*SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

[illegible]

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E, CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD							
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY								
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA												
SECOND SERVICE COMMAND	198963	716	661	55	124	11	17	48		2			1	32	5	2	3	303								
Atlantic City, N. J. AAF, Redist. Sta.	8176	655	560	95	64			64																		
Dix, Ft., N. J.	16807	805	752	53	118	15?	3?	68		2				5												
Kilmer, Cp., N. J.	24201	743	685	58	129	21		99						10	1		1	27								
Mitchel Fld., N. Y. (RH)	7545	710	662	48	76	34?		34?						3				8								
Monmouth, Ft., N. J. (RH)	19274	535	505	30	62		13?	22							2	1	1	10								
New York PoE, N. Y.	17141	613	601	12?	137	3?	9?	55																		
Shanks, Cp., N. Y.	20420	422	397	25	61	8?		64						1				8								
Stations Under 5000 Strength & Misc. Units	68484	907	827	80	182	14	43	33					1	12	2	1	1	33								
TOTAL-ALL STATIONS EXCEPT GEN. HOSP. & CONV. HOSP.	182048	735	679	56	129	12	19	51		2			1	31	5	2	3	86								
TOTAL GENERAL HOSPITALS	12619													1				213								
TOTAL CONVALESCENT HOSP.	4296																	4								

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E, CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES											
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY				
THIRD SERVICE COMMAND	193452	559	623	46	106	12	6	70	2	3	1	1	1	24	4	1	3	407			
Aberdeen Prov. Grd., Md.	23365	475	430	45	56	13		20		1				6				12			
Geo. G. Meade, Ft., Md. (RH)	21401	1023	984	39	168	19	57	107						3				61			
Hampton Roads PoB, Va.	8123	773	647	267	64			83										11			
Indiantown Gap, Pa.	9731	1037	989	48	166	167		102				1	1		2	1	1	39			
Langley Fld., Va. (RH)	8518	654	617	37	43	67	317	37						1				6			
Lee, Cp., Va. (RH)	29196	542	506	36	52	14		78	2					4				74			
Patrick Henry, Cp., Va.	14031	749	723	26	133	117	197	100						3				14			
Pickett, Cp., Va.	15452	471	414	57	30	77	137	57		1				1				14			
Reynolds, Cp., Pa.	9823	487	439	48	132	217		48						2				17			
Stations Under 5000 Strength & Misc. Units	41221	761	897	68	168	67	8	25		1				4	1		1	22			
TOTAL-ALL STATIONS EXCEPT GEN. HOSP. & CONV. HOSP.	180861	685	638	47	108	12	6	72	2	3		1	1	23	3	1	2	260			
TOTAL GENERAL HOSPITALS	7265										1			1	1		1	118			
TOTAL CONVALESCENT HOSP.	5326																	29			
MIL. DIST. OF WASH.	57623	578	527	51	143	27	37	19					1	2	6	4	2	122			
Belvoir, Ft., Va.	21213	586	530	56	103		27	22										26			
Myer, Ft., Va.	5882	787	752	357	239		97	277					1					2			
Wash. Gen. Disp., D. C.	8801	544	538	67	307		67														
Stations Under 5000 Strength & Misc. Units	16301	533	465	67	108	37		167						1	2		2				
TOTAL-ALL STATIONS EXCEPT GEN. HOSPITALS	52197	586	536	49	154	17	37	17					1	1	2		2	28			
TOTAL GENERAL HOSPITALS	5426													1	4	4		94			

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES											
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY				
FOURTH SERVICE COMMAND	892072	553	486	57	79	9	7	36	9	37	3	7	5	128	18	7	11	1169			
Avon Park, AAF, Fla.	5858	390	346	44?	62			18?										2			
Benning, Ft., Ga. (RH)	80719	707	565	142	84	11	1?	44		22	1	1		9	2	1	1	59			
Blanding, Cp., Fla. (RH)	52279	495	429	66	101	29	28	11	1					29				36			
Boca Raton Fld., Fla.	14735	325	279	46	49	4?	14?	18?						1	1	1		2			
Bragg, Ft., N. C. (RH)	34878	504	456	48	60	10	1?	37						6	1		1	34			
Buckingham, AAF, Fla.	12151	278	231	47	81			13?										5			
Butner, Cp., N.C.	28159	790	696	94	55	7?	7?	50										127			
Charleston, AAF, S. C.	5523	470	395	75	66	9?		47?						1				6			
Charleston PoE, S. C.	7727	673	606	67	121	7?	7?	54										10			
Chatham Fld., Ga.	5128	304	304		51?		10?	30?													
Columbia, AAB, S. C.	5263	613	573	40?	178			20?										1			
Croft, Cp., S. C.	20645	1023	937	86	81	20		15	1	1				8				37			
Drew Fld., Fla. (RH) #	18596	374	338	36	39		3?	28					1					25			
Dyersburg, AAF, Tenn.	5422	633	595	38?	125	10?		29?						1							
Eglin Fld., Fla. (RH)	7744	389	345	40	67	27?		27?	1					4							
Gordon, Cp., Ga.	16992	686	637	49	92	15?		31	1			1						4			
Gordon Johnston, Cp., Fla. (RH)	14523	330	276	54	14?	7?	4?	7?		1				2				22			
Greensboro, AAFORD, N.C.	14278	488	455	33	189	7?		58			1			2	2	1	1	13			
Gulfport, AAF, Miss.	6621	472	401	71	110			16?	16?												
Hunter Fld., Ga. (RH)	6646	352	329	23?	94			23?	31?									7			

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH***	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY COD									
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES																		
		ALL CAUSES	DISEASE	INJURY	GOLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY										
(Cont'd) FOURTH SERVICE COMMAND																											
Jackson, Ft., S. C. (RH)	39268	615	571	44	77	7?	12	45		2		1	1	4				27									
Keesler Fld., Miss.(RH)	20690	310	277	33	13?	23	10?	28			1			8				10									
MacDill Fld., Fla.	10004	447	426	21?	10?	5?		68						1				4									
Mackall, Cp., N. C.	12771	689	587	102	53			37										5									
Maxwell Fld., Ala. (RH)	10160	406	318	87	15?	21?	21?	41						2				13									
McClellan, Ft., Ala. (RH)	33574	438	356	82	40	14	5?	22		3			1	5	1	1		34									
McPherson, Ft., Ga.	5547	2364	2336	28?	310	9?		131		2		1			1		1	8									
Miami Beach, Fla. AAF Redist. Sta.	7742	1344	1250	94	60		13?	108																			
Miami Beach, Fla. AG & SF Sta.	7218	714	555	159	50	22?								3													
Miss. Ord. Plant, Miss.	6177	548	497	51	118			17?										17									
Oglethorpe, Ft., Ga.	7267	874	795	79	279	7?		21?	1	1								4									
Orlando, AAFTC, Fla. (RH)	13316	442	383	59	63	4?	4?	31						1				12									
Robins Fld., Ga. (RH)	7054	502	450	52	140	15?	15?	44	1					2				1									
Rucker, Cp., Ala.	17553	705	622	83	65	15?	12?	33		1			1	5	1		1	20									
Shelby, Cp., Miss. (RH)	42848	515	442	73	61	13	11	38		1				11	1		1	26									
Sibert, AAF, Ala.	6548	461	413	48	87			87										4									
Stewart, Cp., Ga. (RH)	22256	430	402	28	117	5?	7?	16		1				1				8									
Tyndall Fld., Fla.	11100	361	281	80	42			9?																			
Van Dorn, Cp., Miss.	25991	316	280	36	28	6?		32				1		3				35									
Wheeler, Cp., Ga.	22793	492	408	84	100	23		11?				1		10				26									

FORM SG-396 REVISED 1 MAY 1944

CONFIDENTIAL

* DOES NOT INCLUDE READMITTED CASES (I.E., CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

[illegible]

FORM SG-396 REVISED 1 MAY 1944

CONFIDENTIAL

* DOES NOT INCLUDE READMITTED CASES (I.E., CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

[illegible]

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E, CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

****SEE NATURE OF THE DATA, PAGE 2.**

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

INDIVIDUAL STATIONS

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

CONFIDENTIAL

[illegible]

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 46
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES												
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	W'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY				
SEVENTH SERVICE COMMAND	340578	533	477	56	80	8	6	33		15	2		26	15	20	6	14	450			
Buckley Fld., Colo. (RH)	6749	702	640	62	293	8?		23?										23			
Casper, AAF, Wyo.	5442	344	306	38?	38?	10?		48?						1							
Crowder, Cp., Mo. (RH)	32630	996	935	61	76	32	8?	24		1	1		18					44			
Des Moines, Ft., Iowa	5725	1055	973	82	100			18?					1		6		6	1			
(RH) F. E. Warren, Ft., Wyo.	15850	584	565	19	96	3?		68		7			1		1		1	53			
Grand Island, AAF, Nebr.	6307	289	264	25?	25?	8?		17?													
Great Bend, AAF, Kans.	5277	315	276	39?	69	30?	10?	49?		1				1							
Harvard, AAF, Nebr.	5125	406	376	30?	102			51?													
Leonard Wood, Ft., Mo. (RH)	39245	376	311	65	74	1?	1?	25					1	1				50			
Lincoln, AAF, Nebr. (RH)	15391	352	328	24	88	7?	14?	30					2		1	1		3			
Lowry Fld., Colo.	18417	691	666	25	119	6?	34	37		1				1				3			
McCook, AAF, Nebr.	5071	513	400	113	51?	10?		21?						1							
Pratt, AAF, Kans.	5497	435	331	104	38?		9?	57			1										
Pueblo, AAB, Colo.	5129	416	375	41?	101			10?										1			
Rapid City, AAB, S. Dak.	5065	616	554	62	133		10?	31?		1								3			
Riley, Ft., Kans. (RH)	25139	511	418	93	64	6?		21		4				3				40			
Sioux City, AAB, Iowa	5378	454	416	48?	97			68													
(RH) Sioux Falls, AAF, S. Dak.	11694	454	374	80	98	9?	4?	9?					1	1				3			
Smoky Hill, AAF, Kans. (RH)	6165	422	338	84	68			68										4			
Walker, AAF, Kans.	5539	460	451	9?	56	9?		56							1	1					

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

[illegible]

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

- 19 -

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

CONFIDENTIAL

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES						ALL CAUSES	DISEASE	INJURY				
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA								
EIGHTH SERVICE COMMAND	43531	508	433	75	75	10	8	37	3	10	3	12	5	98	63	12	51	961				
Alamogorda, AAB, N. Mex.	6643	391	368	23?	39?			39?		1												
Alexandria, AAF, La.	5259	465	396	69	89		10?	69										1				
Amarillo, AAF, Tex. (RH)	14118	417	343	74	55	7?	4?	44		1	1				1		1	10				
Ardmore, AAF, Okla.	5380	387	358	29?	97	10?		68						1	1	1						
Barkeley, Cp., Tex. (RH)	26712	508	440	68	49	4?	16	29						1	2	1	1	42				
Barksdale Fld., La. (RH)	9531	491	398	93	98	5?		27?						1	7		7	3				
Biggs Fld., Tex.	5611	658	602	56	28?			83														
Bliss, Ft., Tex.	22403	557	527	30	95	2?	5?	21			1			1	1		1					
Bowie, Cp., Tex.	31236	399	326	73	22	10	15	25	1			1		3				18				
Chaffee, Cp., Ark.	32647	556	460	96	56	22	22	48						7	2		2	25				
Claiborne, Cp., La.	30869	551	500	51	49	12		61		2								59				
Clovis, AAF, N. Mex.	5983	496	339	157	70	9?	9?	96							15		15					
Dalhart, AAF, Tex.	6161	371	329	42?	110	17?		34?						2								
Ellington Fld., Tex.	5817	509	420	89	116			36?							1	1		1				
Fannin, Cp., Tex.	21274	692	609	83	117	44		24						18				31				
Fort Worth, AAF, Tex.	5621	519	454	65	157	9?		65							1		1	1				
Gruber, Cp., Okla.	31309	430	364	66	47	7?	10	56						2	3	1	2	7				
Harlingen, AAF, Tex.	10091	381	314	67	72	5?	26?	36						1	1		1					
Hondo, AAF, Tex.	6876	371	318	53	53		8?	38?										7				
Hood, Cp., Tex.	59515	353	294	59	76	24	2?	30				1		21	1		1	17				

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

CONFIDENTIAL

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD								
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES																
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPIS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY									
(Con't) EIGHTH SERVICE COMMAND																										
Howze, Cp., Tex.	17284	460	409	51	30	6?	9?	12?		1				1	1		1	7								
Jos. T. Robinson, Cp., Ark. (RH)	37936	658	533	125	154	12	1?	22		2		2		3	2		2	42								
Kelly Fld., Tex.	10395	730	700	30	60		15?	30							1		1	7								
Laredo, AAF, Tex.	9724	417	390	27?	80	37		11?		1				7												
Livingston, Cp., La.	8863	452	405	47	82		6?	153										7								
Maxey, Cp., Tex. (RH)	20739	469	424	45	50		3?	28							1		1	4								
New Orleans PoE, La.	20490	797	678	119	112	8?	13?	84		1				1				4								
Polk, Cp., La. (RH) #	25439	451	388	63	51	8?	10?	18					1	4				31								
Pyote, AAF, Tex. (RH)	5991	512	460	52	95	9?	35?	52						1				4								
Randolph Fld., Tex.	6631	510	447	63	86	16?		24?						2												
Roswell, AAF, N. Mex.	6922	331	278	53	60	8?		23?										2								
Sam Houston, Ft., Tex.	11254	859	790	69	37			69																		
San Antonio, Tex. (RH) Avn. Cdt. Str.	10314	348	267	81	45	5?	10?	25?						1	1	1		31								
San Marcos, AAF, Tex.	6616	258	252	16?	31?		8?	8?				1														
Selman Fld., La.	7917	388	309	79	105		7?	26?																		
Sheppard Fld., Tex. (RH)	15785	556	613	53	33	23	3?	23										4								
Sill, Ft., Okla.	26203	329	244	85	14	2?		34				1			1	1		13								
Swift, Cp., Tex. (RH)	30198	717	462	255	67	5?		46		1			1	2	1		1	33								
Walters, Cp., Tex.	23125	513	414	99	151	34	31	11?			1	5	1	13				13								
Stations Under 5000 Strength & Misc. Units	175665	494	438	56	84	1?	10	34	2			1	2	2	11	2	9	27								

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E., CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

INDIVIDUAL STATIONS

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

[illegible]

FORM SG-396 REVISED 1 MAY 1944

CONFIDENTIAL

* DOES NOT INCLUDE READMITTED CASES (I.E., CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

SERVICE COMMAND AND STATION	MEAN STRENGTH**	ADMISSIONS													NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD			
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES											
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL EXCLUDING EPTS*	MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	ALL CAUSES	DISEASE	INJURY				
NINTH SERVICE COMMAND	537363	564	504	60	112	6	6	31	4	4	6		15	31	27	10	17	665			
Beale, Cp., Calif.	10048	559	481	78	57	5?	16?	88						1				9			
Callan, Cp., Calif.	6191	908	824	84				25?										2			
Cooke, Cp., Calif.	18082	642	564	78	52		6?	12?					1					3			
Davis-Monthan Fld., Ariz. (RH)	5228	528	458	70	70		30?	50?					1		1	1		32			
Fresno ASCTC, Calif.	8052	763	685	78	136			19?										1			
Geiger Fld., Wash.	5960	672	593	79	297	17?		17?					2								
Gowen Fld., Idaho	5475	456	380	76	114		10?	19?													
Haan, Cp., Calif. (RH)	10068	392	356	36	46	10?	10?	41			1			1				26			
Hamilton Fld., Calif. (RH)	10181	184	184		56			15?					1					10			
Kearns, AAFORD, Utah (RH)	11051	748	692	56	240	9?	28	66										5			
Kingman, AAF, Ariz.	9592	320	287	33	87	5?		27?			4										
Las Vegas, AAF, Nev.	10154	328	256	72	87			15?										3			
Lawton, Ft., Wash.	9196	583	560	23?	79	6?		57										10			
Lewis, Ft., Wash.	59425	429	381	48	137		1?	1?	2				1								
Los Angeles PoE, Calif.	8837	447	418	29?	112	18?	6?	55										3			
March Fld., Calif.	6818	435	389	46	46			38?							1		1	1			
Mt. Home, AAF, Idaho	5503	642	614	28?	208		9?	28?										3			
Muroc, AAF, Calif.	6367	564	474	90	229	25?	25?	25?						3	1		1				
Ord, Ft., Calif. (RH)	17638	371	318	53	86	24	3?	32						5	2	1	1	40			
Pinedale, Cp., Calif.	5475	333	314	19?	105																

FORM SG-396 REVISED 1 MAY 1944

CONFIDENTIAL

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY
REPORTED BY AN ARMY UNIT)

**SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

CONFIDENTIAL

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

INDIVIDUAL STATIONS

[illegible]

FORM SG-396 REVISED 1 MAY 1944

* DOES NOT INCLUDE READMITTED CASES (I.E, CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

****SEE NATURE OF THE DATA, PAGE 2.**

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

CONFIDENTIAL

- 24 -

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

STATIONS WITH STRENGTH OF 5000 OR OVER

RESTRICTED

VOLUME IV REPORT NO. 45
WEEK ENDING 10 November 1944

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
McPherson, Ft., Ga.	2364	3302	McPherson, Ft., Ga.	2336	3270	Swift, Cp., Tex.	255	81
Miami Beach, Fla. AAF Redist. Sta.	1544	1122	Miami Beach, Fla. AAF Redist. Sta.	1250	1110	Miami Beach, Fla. AAF Redist. Sta.	159	127
Des Moines, Ft., Iowa	1055	1095	Indiantown Gap, Pa.	989	1043	Clovis, AAF, N. Mex.	157	59
Indiantown Gap, Pa.	1037	1106	Geo. G. Meade, Ft., Md.	984	734	Benning, Ft., Ga.	142	157
Croft, Cp., S. C.	1023	637	Des Moines, Ft., Iowa	973	1038	Jos. T. Robinson, Cp., Ark.	125	154
Geo. G. Meade, Ft., Md.	1023	772	Croft, Cp., S. C.	937	475	New Orleans PoE, La.	119	74
Crowder, Cp., Mo.	996	727	Crowder, Cp., Mo.	935	673	San Luis Obispo, Cp., Calif.	116	72
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			DIARRHEA AND DYSENTERY ANNUAL ADMISSION RATE PER 1000		
McPherson, Ft., Ga.	310	169	Scott Fld., Ill.	61	187	Lowry Fld., Colo.	34	23
Washington Gen. Disp., D. C.	307	201	Chamute Fld., Ill.	48	31	Wolters, Cp., Tex.	31	16
Geiger Fld., Wash.	297	216	Fannin, Cp., Tex.	44	69	Blanding, Cp., Fla.	28	13
Buckley Fld., Colo.	293	225	Laredo, AAF, Tex.	37	42	Kearns, AAFORD, Utah	28	57
Wright Fld., Ohio	284	85	Wolters, Cp., Tex.	34	40	Chaffee, Cp., Ark.	22	10
Oglethorpe, Ft., Ga.	279	250	Crowder, Cp., Mo.	32	37	Campbell, Cp., Ky.	17	28
Kearns, AAFORD, Utah	240	161	Blanding, Cp., Fla.	29	30	Devens, Ft., Mass.	17	67
VENEREAL (EXCLUDING EPTS) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000					
Geo. G. Meade, Ft., Md.	207	113	McPherson, Ft., Ga.	2317	3217			
Livingston, Cp., La.	153	154	Miami Beach, Fla. AAF Redist. Sta.	1250	1110			
McPherson, Ft., Ga.	151	63	Des Moines, Ft., Iowa	973	1038			
Miami Beach, Fla. AAF Redist. Sta.	108	58	Indiantown Gap, Pa.	951	1043			
Indiantown Gap, Pa.	102	142	Croft, Cp., S. C.	937	475			
Patrick Henry, Cp., Va.	100	85	Crowder, Cp., Mo.	935	673			
Kilmer, Cp., N. J.	99	49	Stoneman, Cp., Calif.	922	821			

FORM SG-396E, 12 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, And Pleurisy.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

RESTRICTED

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME IV REPORT NO. 45
WEEK ENDING 11 November 19 44

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p>COCCIDIOIDOMYCOSIS (18)</p> <p>1-Davis-Monthan Fld., Ariz. 3-Gardner Fld., Calif. 2-Haan, Cp., Calif. 2-Lemoore AAF, Calif. 5-Minter Fld., Calif. 2-Muroc AAF, Calif. 3-Roberts, Cp., Calif.</p>	<p>DIPHTHERIA (5)</p> <p>1-Fletcher G.H., Ohio 1-Knox, Ft., Ky. 1-Hondo AAF, Tex. 1-Swift, Cp., Tex. 1-Torney G.H., Calif.</p>	<p>POLIOMYELITIS (1)</p> <p>1-Scott Fld., Ill.</p>	<p>MALARIA ACQUIRED IN U.S. (12)</p> <p>1-West Point, N.Y. (R A) 1-Ashby, Va. P.W. Cp. 1-Edgewood Ars., Md. 1-Leonard Wood, Ft., Mo. 2-Hood, Cp., Tex. 1-Jos. T. Robinson, Cp., Ark. 1-La Garde G.H., La. 1-Maxey, Cp., Tex. 1-Perrin Fld., Tex. 1-Haan, Cp., Calif. 1-Marana AAF, Ariz.</p>	<p>INFECTIOUS HEPATITIS (90)</p> <p>1-Cushing G.H., Mass. 2-Edwards, Cp., Mass. 2-Narragansett, H.D.R.I. 4-Rheads G.H., N.Y. 2-Indiantown Gap, Pa. 2-Lee, Cp., Va. 2-Patrick Henry, Cp., Va. 1-Reynolds, Cp., Pa. 1-Wash. Gen. Disp., D.C. 1-Aliceville, Ala. P.W. Cp. 2-Elanding, Cp., Fla. 1-Butner, Cp., N.C. 1-Croft, Cp., S.C. 1-Gulfport AAF, Miss. 1-Hunter Fld., Ga. 2-Jackson, Ft., S.C. 1-Lawson G.H., Ga. 1-Marianna AAB, Fla. 1-Miss. Ord. Plant, Miss. 1-Morris Fld., Ga. 1-Oliver G.H., Ga. 3-Rucker, Cp., Ala. 2-Shelby, Cp., Miss. 1-Van Dorn, Cp., Miss. 1-Billings G.H., Ind. 1-Campbell, Cp., Ky. 1-Freeman Fld., Ind. 2-Knox, Ft., Ky. 1-Truxax Fld., Wis. 1-Riley, Ft., Kans. 1-Sioux City AAB, Iowa 1-Winter G.H., Kans. 2-Alamogordo AAB, N. Mex. 1-Alexandria AAF, La. 1-Amarillo AAF, Tex. 1-Bowie, Cp., Tex. 1-Chaffee, Cp., Ark. 8-Claiborne, Cp., La. 1-Ellington Fld., Tex. 1-Foster Fld., Tex. 3-Harlingen AAF, Tex. 1-Hobbs AAF, N. Mex. 12-Hood, Cp., Tex. 1-Howze, Cp., Tex. 1-Idvingston, Cp., La. 1-Maxey, Cp., Tex. 1-McCloskey G.H., Tex. 1-Haan, Cp., Calif. 2-Hamilton Fld., Calif. 2-Las Vegas AAF, Calif. 1-Lemoore AAF, Calif. 2-Ord, Ft., Calif.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <p>BACTERIAL FOOD POISONING</p> <p>14-Langley Fld., Va. 60-Greensboro AAFORD, N.C. 10-Carlsbad AAF, N. Mex.</p> <p>STREPTOCOCCAL SORE THROAT</p> <p>11-Chanute Fld., Ill. 10-Lincoln AAF, Nebr.</p> <p>M'COCCIC MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</p> <p>1-Mayo G.H., Ill. 1-Bergstrom Fld., Tex.</p>
<p>DYSENTERY AMEBIC (16)</p> <p>1-Mason G.H., N.Y. 1-Reynolds, Cp., Pa. 1-Wash. Gen. Disp., D.C. 1-Miami Beach, Fla., AAF Redist. Sta. 2-Newton D. Baker G.H., W. Va. 4-Crowder, Cp., Mo. 1-Barkeley, Cp., Tex. 1-Bowie, Cp., Tex. 1-Harlingen AAF, Tex. 1-Sill, Ft., Okla. 1-Dibble G.H., Calif. 1-Tonopah AAB, Nev.</p>	<p>TYPHUS FEVER (2)</p> <p>1-Shelby, Cp., Miss. 1-San Antonio, Tex. Avn. Cdt. Ctr. Late Report Week ending 3/11 1-Hulen, Cp., Tex.</p>	<p>FILARIASIS (10)</p> <p>1-Bradley Fld., Conn. 1-Devens, Ft., Mass. 1-Pine Camp, N.Y. 4-Moore G.H., N.C. 1-Lowry Fld., Colo. 1-Laredo AAF, Tex. 1-Hamilton Fld., Calif.</p>	<p>ANKYLOSTOMIASIS (7)</p> <p>1-Foster G.H., Miss. 1-McCoy, Cp., Wis. 1-Bowie, Cp., Tex. 1-Brooke G.H., Tex. 3-Wolters, Cp., Tex.</p>		
<p>KERATOCONJUNCTIVITIS (2)</p> <p>1-Blanding, Cp., Fla. 1-Turner Fld., Ga.</p>	<p>UNDULANT FEVER (2)</p> <p>1-Bronx Area G.H., N.Y. 1-Nashville AAF, Tenn.</p>	<p>ENCEPHALITIS (3)</p> <p>1-Hobbs AAF, N. Mex. 2-Luke Fld., Ariz.</p>			

FORM SG-902 - 8 July 1944

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

WOMEN'S ARMY CORPS

During the four week period ending 27 October 1944 the annual admission rate from all causes among WAC personnel at 40 selected stations was 901 per year per thousand strength, representing an increase of about 5 percent over the rate recorded for September (see chart on page 29). The October admission rate from all causes for the WAC continues at almost 60 percent in excess of that for the total Army in the continental United States, reflecting the well-known fact that morbidity among women has generally been about 50 percent higher than among men.

The 40 selected stations for which detailed data are given in the following tables include practically all of the installations which have a WAC strength of 300 or more. A few of the stations listed currently have less than 300 strength, but in previous months their strength was above this figure and so they were included among those required to report. Patterson Field, Ohio previously included no longer has any WAC personnel. The proportion of total WAC strength in the continental United States which is included in the 40 reporting stations is about 40 percent.

Morbidity from all causes during October showed considerable variation by station, reflecting in part, the relatively small size of the reporting installations. The all causes admission rate for the majority of the stations ranged from 600 to 900 per thousand. The highest rates were reported from Ft. Devens, Ft. Hamilton, Ft. George Meade, Ft. Bragg, and Ft. Riley, all of which had rates in excess of 1600 per thousand. In several of these installations the high morbidity was chiefly the result of sharply increased admissions from respiratory causes.

The October admission rate from injury for the WAC was 58 per thousand, representing about a 20 percent increase from the unusually low rate for September. Morbidity from injury among the WAC for the second month is below that for the total Army in the United States (about 65 per thousand in October) although in previous months it was higher.

The two largest stations, Ft. Oglethorpe and Ft. Des Moines (which account for about 40 percent of the total strength of the 40 selected stations) experienced in October about the same morbidity as the other stations.

Morbidity from colds, influenza, etc. among the WAC increased sharply (by about 50 percent) during October for the second consecutive month. The October rate of 210 per thousand was more than double that for the total Army in the continental United States. Morbidity from these causes exceeded 1000 per thousand at Ft. Devens and Ft. Hamilton.

Morbidity from diarrhea and dysentery among the WAC was reported at 22 per thousand in contrast with a rate of about 10 per thousand for the total Army. During recent months the WAC has continued to experience notably higher morbidity from these causes than the total Army. The relatively high rate for the WAC in October reflects largely the unfavorable experience at Ft. Oglethorpe, where almost 50 percent of the total cases occurred; this station has continuously reported high morbidity from these causes during recent months. Morbidity from other communicable diseases shown in the following tables was at a low level.

WOMEN'S ARMY CORPS (CONT'D)

In October, neuropsychiatric disorders among the WAC were responsible for an annual admission rate of 33 per thousand, which is the lowest rate from these causes in recent months. The morbidity experience from these causes among the WAC during both September and October has been below that for the total Army, although in previous months the reverse was the case; this higher recent experience for the total Army is chiefly the result of the effects of WD Circular 370, 12 September 1944, which provided that enlisted men not meeting the minimum standards for induction for whom suitable assignments were not available could be discharged.

The number of CDD's at the 40 selected stations during October averaged 18 per week or somewhat below the level of about 25 per week for both August and September.

As of 27 October there were 717 WAC patients remaining in hospital and quarters at the 40 selected stations. In addition to the 646 WAC's remaining in hospital at the selected stations there were 496 WAC's occupying beds in General Hospitals (exclusive of Walter Reed, Army and Navy, and Madigan which are among the selected stations). The number of WAC's occupying beds at Station and Regional Hospitals, exclusive of the 40 selected stations, was 1183. Thus, the total number of WAC's occupying hospital beds as of the end of October was about 2300 or about 10 percent higher than the corresponding figure for the end of September.

The number of WAC's occupying hospital beds as of the end of October represented a rate of 31 per thousand strength of the WAC in the continental United States or slightly higher than during the previous three months. For the total Army in the continental United States the corresponding figure is in the

neighborhood of 30 per thousand when evacuees from overseas are excluded. Thus, whereas the overall admission rate for WAC personnel is about 50 percent higher than that for the Army as a whole, the incidence of serious conditions as reflected by the proportion of WAC personnel in hospital appears to be much the same as for other Army personnel.

WAC PERSONNEL OCCUPYING HOSPITAL BEDS, 27 OCTOBER 1944


S.C.	General Hospitals	37 Selected Stations	a/ Other	Total
1	30	—	43	73
2	83	56	87	226
3	29	73	47	149
MDW	46	48	—	94
4	65	169	266	500
5	83	16	69	168
6	35	—	50	85
7	24	126	93	243
8	93	21	219	333
9	89	33	309	431
Total	577	542	1183	2302

a/ Excludes Walter Reed G.H., Army & Navy G.H., and Madigan G.H. which are shown in General Hospitals column.

MORBIDITY OF THE WAC AT SELECTED STATIONS

FROM SELECTED CAUSES

CONTINENTAL UNITED STATES



SUPPLEMENTARY HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD	
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE	INJURY		HOSPITAL	QUARTERS
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC. MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC						
						ALL TYPES	ATYPICAL														
TOTAL STATIONS	2841	901	843	58	210	13	8	48	2	1	1		4	1	74	1	1		73	646	71
(Annual Rate of Admission Per 1000 Strength)						(6)		(22)							(33)						
FIRST SERVICE COMMAND																					
Devens, Ft., Mass.	174	2015	2015		1642			1													
SECOND SERVICE COMMAND																					
Dix, Ft., N. J.	217	482	482					1													
Hamilton, Ft., N. Y.	337	2277	2162	116?	1312			6												20	
Kilmer, Cp., N. J.	364	789	717	72?	179?										2					10	
Mitchel Fld., N. Y.	649	581	501	80?	321										7				12	18	
Monmouth, Ft., N. J.	362	504	468	36?											1				1	5	
New York PoE, N. Y.	552	896	825	71?	118?				1												
Shanks, Cp., N. Y.	277	423	329	94?																3	
THIRD SERVICE COMMAND																					
Aberdeen Prov. Grd., Md.	524	697	697		50?					1										11	1
Edgewood Arsenal, Md.	361	794	794		36?										4					11	
Geo. G. Meade, Ft., Md.	521	1800	1725	75?	150	1	1				1				5				3	39	
Hampton Roads PoE, Va.	433	541	541		60?										1					7	
Pickett, Cp., Va.	242	432	432		108?															5	

FORM SG- 728 - 1 May 1944

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD				
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE	INJURY		HOSPITAL	QUARTERS			
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC									
						ALL TYPES	ATYPICAL																	
MIL. DIST. OF WASH.																								
Arlington Hall Sta., Va.	1049	1203	1141	62?	409																			5
Belvoir, Ft., Va.	319	653	612	41?	204?									1									10	
Bolling Fld., D. C.	574	749	726	23?	68?	2	2																16	
Myer, Ft., Va.	1491	855	846	9?	514																		22	2
Walter Reed G. H., D. C.	294	884	796	88?	133?			2												8	68		2	
FOURTH SERVICE COMMAND																								
Benning, Ft., Ga.	871	775	659	116	136															1	16		2	
Bragg, Ft., N. C.	436	1672	1642	30?	239	1	1							1						1	9		3	
Davis, Cp., N. C.	131	500?	500?		200?															2	2			
Drew Fld., Fla.	310	882	756	126?	43?											2							12	
Jackson, Ft., S. C.	344	1023	1023		341			2									1	1					8	
Maxwell Fld., Ala.	310	711	669	42?	167?	1	1									7				4	19			
Oglethorpe, Ft., Ga.	8554	835	752	83	272	3		22	1							18						17	87	35
Orlando, AAFTC, Fla.	708	570	533	37?	110															1	16			
FIFTH SERVICE COMMAND																								
Knox, Ft., Ky.	533	610	610		146	1	1	1												1	16			
Wright Fld., Ohio	1038	1103	1053	50?	351			3								3								1

SUPPLEMENTARY HEALTH REPORT

FOR WAC PERSONNEL AT SELECTED STATIONS

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH	ADMISSIONS														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD	PATIENTS REMAINING AT END OF PERIOD		
		ANNUAL RATE PER 1000 STRENGTH				NUMBER OF CASES										ALL CAUSES	DISEASE	INJURY		HOSPITAL	QUARTERS	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.	PNEUMONIA		DIARRHEA AND DYSENTERY	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	TUBERCULOSIS	NEURO- PSYCHIATRIC							
						ALL TYPES	ATYPICAL															
SEVENTH SERVICE COMMAND																						
Colorado Springs, Colo.	350	930	818	112																		
Crowder, Cp., Mo.	654	737	877	60?	80?	1	1	7					2						7	12		
Des Moines, Ft., Iowa	5233	969	914	55	84	2	1						1		19				10	93	15	
Leonard Wood, Ft., Mo.	448	610	552	58?											3				1	13		
Riley, Ft., Kans.	473	1626	1543	83?	138?														1	8	5	
EIGHTH SERVICE COMMAND																						
Army & Navy G. H., Ark.	73	727?	727?																		15	
Hood, Cp., Tex.	324	402	402			1		1												7		
New Orleans PoE, La.	326	1080	1040	40?	40?			2												11		
Sill, Ft., Okla.	264	542	443	99?	197?															3		
NINTH SERVICE COMMAND																						
Huachuca, Ft., Ariz.	273	622	478	144?															1	13		
Lewis, Ft., Wash.*	291	1121	1031	90?	404										1					21		
Stoneman, Cp., Calif.	357	1022	1022		109										1				2	20		
* Includes Madigan G.H.																						

SUPPLEMENTARY HEALTH REPORT

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

PRISONERS OF WAR

During the four week period ending 27 October 1944, the admission rate from all causes among prisoners of war was 589 per year per thousand strength. This rate is only about 2 percent higher than the October rate for U.S. troops in the continental United States (see chart on page 35). The admission rate from all diseases combined for prisoners of war was 485 per thousand, while the admission rate from injury was 104 per thousand or about 60 percent higher than for U.S. troops.

Morbidity from disease among prisoners of war during October was about 3 percent lower than during September. Morbidity from injury decreased by about 15 percent and was at the lowest level reported since the early months of 1944.

Over 95 percent of the total strength of the prisoners of war in the continental United States (as reported by The Provost Marshal General) is included in the reports received in the Office of The Surgeon General. The strength not reported represents largely prisoners in penal and medical institutions and those en route from ports of debarkation to prisoners of war camps for whom no reports are required to be submitted. It should be noted furthermore that the strength figures shown in the following tables represent the mean strengths for the period indicated and are not the strengths as of the end of the period.

Italian Service Units continue to experience considerably higher morbidity than Italian prisoners and somewhat higher than German prisoners (see chart on page 36). A large part of the high morbidity of the Italian Service Units is the result of higher morbidity from respiratory causes. Morbidity among the

relatively small number of Japanese prisoners is at about the same level as for all other prisoners of war.

Morbidity from injury among German prisoners decreased sharply from a rate of 131 per thousand in September to 106 per thousand in October. Italian Service Units experienced about the same morbidity from injury as did German prisoners, but Italian prisoners continued to report an extremely low rate of admission from injury.

Morbidity from colds, influenza, etc. among prisoners of war increased from 57 per thousand for September to 68 per thousand for October. Nevertheless, the experience among prisoners of war continues much more favorable than for U.S. troops, whose current morbidity from these causes is at a rate of about 90 per thousand. As in previous months, morbidity from these causes was highest for Italian Service Units (79 per thousand), followed by German prisoners (69 per thousand), with Italian prisoners having the lowest morbidity (34 per thousand).

During October, morbidity from malaria, representing predominantly cases presumably acquired outside this country decreased to a rate of 21 per thousand which is less than one-quarter of the peak rate registered in April. The number of cases reported as being presumably acquired in this country was 9, which is about the same as in September. The October admission rate for diarrhea and dysentery was 9 per thousand which is lower than in previous months and at about the same level as for U.S. troops in this country during October.

In October there were reported 20 new cases of diphtheria as contrasted with 9 cases during September;

PRISONERS OF WAR (CONT'D)

the current relatively high experience is due in large part to an outbreak of 10 cases at Atlanta, Nebr. (G). There were 48 new cases of jaundice admitted during October, a sharp increase from September when there were only 17 new cases. In addition, there were reported 2 new cases of typhus fever and 25 new cases of paratyphoid fever (at Cp. Livingston, La.). New cases of the other communicable diseases considered in the following tables were relatively few.

The camps reporting the highest morbidity from disease were Ft. John Custis, Va. (G), Cp. Gordon Johnston, Fla. (G), and Cp. Breckinridge, Ky. (G), all of which had rates of 1500 per thousand or more. These camps also had relatively high morbidity for previous months.

High morbidity from injury was reported by the following camps: Houlton, Maine (G), Ft. John Custis, Va. (G), Ft. Lewis, Wash. (G), Angel Island, Calif. (J), Ft. Andrews, Mass. (ISU), and Imperial Dam, Ariz. (ISU), all of which had rates in excess of 400 per thousand. Clinton, Miss. (G) had a rate of 240 per thousand, which is the first time this year that it has reported morbidity under 300 per thousand.

The number of prisoners of war remaining under treatment in hospital and convalescent facilities at prisoner of war camps as of 27 October 1944 and the corresponding rates per thousand strength are shown below. The total number of such prisoner patients at the end of October was about 30 percent higher than at the end of September reflecting in large part the increasing number of prisoners of war in this country. Out of the 8799 prisoner patients, 1126 were at Glen-nan G.H., Okla., 530 at McAlester, Okla., 410 at Camp Forrest, Tenn., 597 at Camp Bowie, Texas, 439 at Camp Chaffee, Okla., 594 at Camp Howze, Texas, 592 at Camp Livingston, La. and 734 at Camp Gruber, Okla.; thus, over half of the German prisoners remaining under treatment at prisoner of war camps were at these installations.


In addition to the prisoners of war remaining under treatment at the prisoner of war camps or special hospitals for prisoners of war there were 2681 remaining under treatment in other hospitals; of these 2480 were in General Hospitals (chiefly at Bushnell, Fitzsimons, Halloran, McCloskey, and Mason).

	Number Remaining under Treatment	Prisoner Patients Remaining per 1000 Strength
German	8192	33
Italian PW	177	14
Italian SU	367	12
Japanese	63	38
TOTAL	8799	29

MORBIDITY OF THE PRISONERS OF WAR

FROM SELECTED CAUSES


CONTINENTAL UNITED STATES



MORBIDITY AMONG PRISONERS OF WAR

BY NATIONALITY — FROM SELECTED CAUSES

CONTINENTAL UNITED STATES



*DATA FOR ITALIAN SERVICE UNITS PRIOR TO JUNE INCLUDED WITH ITALIAN PRISONERS OF WAR.

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
TOTAL CAMPS (INCL. ISU) (Annual Rate of Admission Per 1000 Strength)	298519	589	485	104	1563	40	20			1	20	2	14	9	475	214	48	41	57		14	
					(68)	(2)	(1)								(21)	(9)	(2)	(2)	(2)			
TOTAL GERMAN CAMPS	249708	599	493	106	1320	34	19			1	20	2	9	8	403	203	47	29	39		12	
Devons, Ft., Mass.	4322	734	569	165	36	2									3	2	1					
Houlton, Me.	2769	1559	958	601	100	2	1								1	8						
Dix, Ft., N. J.	3237	470	410	60	22										4	2			1			
DuPont, Ft., Del.	2186	226	167	59	1																	
Niagara, Ft., N. Y.	3223	205	157	48	2										4				1			
Pine, Cp., N. Y.	1650	168	128	40?	3							1	1				2					
Ashby, Cp., Va.	1123	1087	856	231																		
Geo. G. Meade, Ft., Md.	4253	452	400	52	19										7	2	1					
Hampton Rds., PoE, Va.	507	692	641	51?	2																	
Holabird Sig. Depot, Md.	607	536	536		2																	
Indiantown Gap, Pa.	1344	319	290	29?	5										4							
John Custis, Ft., Va.	1578	2143	1739	404	158										1	24						
Lee, Cp., Va.	998	613	548	65?	2										4							
Patrick Henry, Cp., Va.	1105	165	106	59?	4	3	3									1			2			
Pickett, Cp., Va.	2823	419	401	18?											32	2	1					
Reynolds, Cp., Pa.	759	618	446	172	3										9		1					
Aliceville, Ala.	6093	547	425	122	22	2	1							2	4				3			

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Benning, Ft., Ga.	3639	217	171	46	3																	
Blanding, Cp., Fla.	2636	1540	1293	247															1			
Bragg, Ft., N. C.	2315	1084	848	236	29												4		1			1
Butner, Cp., N. C.	2323	750	610	140																		
Clinton, Miss.	2542	1156	916	240	33											1	10					
Como, Miss.	2430	588	460	128	2	1										1						
Crossville, Tenn.	1405	389	315	74	1											1	1					
Forrest, Cp., Tenn.	2323	610	498	112	10	1										3						
Gordon, Cp., Ga.	2113	535	486	49								1			3	8	2					1
Gordon Johnston, Cp., Fla.	718	2753	2391	362	11												7					
Jackson, Ft., S. C.	2699	260	231	29	10											3	2					
McCain, Cp., Miss.	3889	204	164	40	2											2	9	7				
McClellan, Ft., Ala.	2053	292	222	70																		
Memphis, ASF, Depot, Tenn.	557	234	234																			
Opelika, Ala.	2854	711	497	214													11	5	1			
Rucker, Cp., Ala.	1686	740	640	100	5	1	1									1	4					Typhus-Fever - 2
Shelby, Cp., Miss.	2712	1285	1002	283	16											4	1	1	1			
Wheeler, Cp., Ga.	1957	153	126	271	3											2						
Ashford, W. Va.	673	851	754	971																		
Atterbury, Cp., Ind.	4620	363	316	48	27	1										6	2					
Brookinridge, Cp., Ky.	1899	2034	1733	301	39	1	1									3	9	1				

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																TOTAL DEATHS	
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL		OTHERS AS SPECIFIED
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Campbell, Cp., Ky.	1978	1506	1223	283	5	1	1							1		1			1	1		
Knox, Ft., Ky.	1115	1330	1237	93	11							1				3	1					
Perry, Cp., Ohio	3291	281	218	63	7											4						
Custer, Ft., Mich.	4500	237	165	72	2	1	1							1		12			1			1
Ellis, Cp., Ill.	2216	111	88	23?		2	2							1		8			1	1		
Grant, Cp., Ill.	1876	215	146	69	1											2						
Sheridan, Ft., Ill.	2459	1068	883	185	29							1				4	2					
Algona, Iowa	2994	595	521	74	33											4				2		
Atlanta, Nebr.	2358	706	673	33	32							10		1		3						
Carson, Cp., Colo.	4006	236	217	19	2						1	2		1		2						1
Clarinda, Iowa	2213	670	635	35	2	1										40	3		1			1
Clark, Cp., Mo.	4609	350	282	68	26	1	1									4		5	1	1		1
Concordia, Kans.	2488	743	565	178	18	1	1									7	2	3	1	3	Leukemia - 1	
Crowder, Cp., Mo.	987	185	145	40?	1																	
Douglas, Wyo.	2488	564	533	31	23									1		10	1		2	1		
Greeley, Colo.	3113	321	267	54	14	1	1						1			12						
Hale, Cp., Colo.	550	354	307	47?																		
Indianola, Nebr.	1505	571	536	35?	17	1										2	1			1		
Leonard Wood, Ft., Mo.	1468	195	195		1											4						
Phillips, Cp., Kans.	860	61?	61?		1																	
Riley, Ft., Kans.	1449	871	799	72	20											2						

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy. ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Robinson, Ft., Nebr.	954	683	437	246	10											1						2
Scottsbluff, Nebr.	3572	1092	968	124	11							1				1			1	1		
Trinidad, Colo.	3072	453	423	30	27											1	6			1		
Alva, Okla.	4554	274	240	34	14											6	1			2		
Barkley, Cp., Tex.	646	464	464				1									5						
Bliss, Ft., Tex.	2172	665	623	42	10	1											3			2		
Bowie, Cp., Tex.	1070	437	425	12?	4											4			1			
Brady, Tex.	2972	162	144	18?	1											9				1		
Chaffee, Cp., Ark.	2021	290	257	32?	6											1		5		1		
Claiborne, Cp., La.	697	1250	1157	93?	9											4						
Crockett, Ft., Tex.	810	413	354	64?	1											2						
Fannin, Cp., Tex.	3300	1095	863	232																		
Glennan G.H., Okla.	1357	221	221																			1
Gruber, Cp., Okla.	3761	1172	847	325	19											8	1					
Hearne, Tex.	3571	295	277	18?	11											4			1	1		
Hood, Cp., Tex.	896	88	73?	15?													2					
Howse, Cp., Tex.	2930	280	262	18?	3	3	2					1			1	4						
Huntsville, Tex.	1945	796	669	127	6	1									1		2		2	1		1
Jos. T. Robinson, ^{Ark.} Cp.,	7481	886	653	233	61											11	22		2	1		
Livingston, Cp., La.	4843	614	499	115	26											16	7	6			Erysipelas- 1 Paratyphoid Fever-25	
Lordsburg, N. Mex.	1223	543	543													3					Bact. Food Poisoning-17	

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
GERMAN CAMPS (Cont'd)																						
Maxey, Cp., Tex.	1629	623	591	32?	7											3	1	2		1		
McAlester, Okla.	2434	625	358	267	1	1										14	6	1	1	2	Erysipelas - 1 Sand-fly fever - 1	
McLean, Tex.	2952	159	115	44												3		2				
Mexia, Tex.	3362	332	313	19?	9						2					2	6		1	2		
Polk, Cp., La.	3871	121	104	17?	1											2	4					
Reno, Ft., Okla.	659	277	237	40?	1																	
Roswell, N. Mex.	3283	634	543	91	8								1			6	9			1		1
Ruston, Cp., La.	2230	997	840	157	15												4	1				
Sam Houston, Ft., Tex.	1961	398	305	93	3																	
Sill, Ft., Okla.	1085	276	216	60?												4						
Swift, Cp., Tex.	3878	168	141	27	2	2	2									5			1			
Tonkawa, Okla	2870	213	172	41												5	1					
Beale, Cp., Calif.	887	249	205	44?	7												1					
Cooke, Cp., Calif.	1096	759	676	83	10	1											2					
Florence, Ariz.	4637	698	642	56	40						1					3			2	1		
Lewis, Ft., Wash.	3264	1601	1155	446	6															1		
Ogden, ASF Depot, Utah	1513	1333	1230	103	80											17				1		
Ord, Ft., Calif.	1291	221	201	20?													1	1				
Papago Park, Ariz.	1940	436	382	54												1			1			
Rupert, Idaho	4320	316	301	15?	9								1			8	8		2	1		
Stockton, Calif.	2885	429	370	59	7											3	1		2			

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS	
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED		
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA								
GERMAN CAMPS (Cont'd)																							
White, Cp., Ore.	1709	1522	1283	259													6						
Camps With Under 500 Strength	6982	631	512	119	145	21	21									1	9	2	1	1			1
TOTAL ITALIAN CAMPS	12863	343	309	34	34												21	3		1			1
Weingarten, Mo.	3754	582	523	59	13												2			1			
Hereford, Tex.	2584	236	216	201	2												9						
Monticello, Ark.	2913	160	156	41	4												2						
Haan, Cp., Calif.	1265	237	206	311	5																		Coccidioides, Pulm.-1
Hill Fld., Utah	687	417	379	381	2												5						
Rupert, Idaho	818																						
Tooele, Utah	842	680	572	108	8												3	3					
TOTAL JAPANESE CAMPS	1670	584	249	335	2	2											8	2		1			
McCoy, Cp., Wis.	1211	279	215	64	2	2											8	1					
Angel Island, Calif.	459	1388	340	1048														1		1			

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944

CAMP	MEAN STRENGTH	ANNUAL RATE OF ADMISSION PER 1000 STRENGTH			NUMBER OF CASES ADMITTED																	TOTAL DEATHS
		ALL CAUSES	DISEASE	INJURY	RESPIRATORY				MEASLES	MUMPS	SCARLET FEVER	DIPHTHERIA	M'COCCIC MENINGITIS	RHEUMATIC FEVER	MALARIA ACQUIRED		DIARRHEA AND DYSENTERY	JAUNDICE	TUBERCULOSIS	TOTAL VENEREAL	OTHERS AS SPECIFIED	
					COLDS INFLUENZA ETC.*	PNEUMONIA ALL TYPES	ATYPICAL PNEUMONIA	IN USA							OUT OF USA							
ITALIAN SERVICE UNITS	34278	610	508	102	207	4	1							5	1	43	6	1	10	18		1
Andrews, Ft., Mass.	1274	1449	1020	429	29																	
Boston, PoE, Mass.	881	325	310	157	6	1										2						
Belle Mead, N. J. ASF	763	801	494	307	1											1						
Hamilton, Ft., N. Y.	1145	556	545	117	12	1	1									1			1			
Kilmer, Cp., N. J.	598	415	370	457	4	1										3				1		
Monmouth, Ft., N. J.	683	362	324	387	3											2	1					
Raritan Arsenal, N. J.	1109	129	94	357												2						
Shanks, Cp., N. Y.	1341	194	184	107												3			4			
Geo. G. Meade, Ft., Md.	515	429	404	257												2						
Hampton Rds. PoE, Va.	1126	277	277		3											7						
Letterkenny Ord. Depot, Pa.	1093	618	559	597	13															1		
Erie Prov. Grds., Ohio	1084	420	372	487	7											3	2		1			
Knox, Ft., Ky.	741	158	158																			
Perry, Cp., Ohio	665	313	274	39	3																	
Savanna Ord., Depot, Ill.	654	597	537	607	3											1						
Wayne, Ft., Mich.	583	312	245	677	3											2						
New Orleans PoE, La.	729	1088	874	214	9	1										2						
Benecia Arsenal, Calif.	608	514	514												1					1		
Florence, Ariz.	886	88	88		1														1			
Imperial Dam, Ariz.	856	2599	1748	851	4									4		2						

FORM SG 515 - REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

ARMY SERVICE FORCES, OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

SUPPLEMENTARY HEALTH REPORT

PRISONERS OF WAR

RESTRICTED

VOLUME IV REPORT NO. 45

FOR THE FOUR WEEK PERIOD ENDING 27 OCTOBER 1944.

[illegible]

FORM SG 515 • REVISED 10 NOVEMBER 1943

*Includes Acute Bronchitis, Acute Rhinitis, Coryza, Acute Tonsillitis, Acute Pharyngitis, Acute Nasopharyngitis, Acute Laryngitis, and Pleurisy.

RESTRICTED